



Docket 86575SHS
Customer No. 01333

1FW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Shoupu Chen, et al

METHOD AND SYSTEM FOR
MULTIPLE PASSES DIAGNOSTIC
ALIGNMENT FOR IN VIVO IMAGES

Serial No. 10/679,712

Filed 06 October 2003

Group Art Unit: 2621

Examiner: Jayesh A. Patel

I hereby certify that this correspondence is being deposited today with the United States Postal Service as first class mail in an envelope addressed to Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450.


Susan E. Tufts

Jan. 25, 2007
Date

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Transmitted herewith is an amendment in the above-identified application:

- ☒ No additional fee is required.
☐ The fee has been calculated as shown below:

	(Col. 1)		(Col. 2)	(Col. 3)	OTHER THAN A SMALL ENTITY	
	CLAIMS REMAINING AFTER AMENDMENT		* HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL	9	MINUS	20	0	X 50	\$0
INDEP	2	MINUS	2	0	X 200	\$0
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM					+ 360	\$ 0
					TOTAL	\$0


* The "Highest Number Previously Paid For" (Total or Independent) is the highest number found from the equivalent box in Col. 1 of a prior amendment or the number of claims originally filed.

- ☐ Please charge American Express Credit Card (see attached form PTO-2038) \$0.
A duplicate copy of this sheet is enclosed

- ☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Eastman Kodak Company Deposit Account No. **05-0225**
A duplicate copy of this sheet is enclosed

- ☒ Any additional filing fees required under 37 CFR 1.16.
☒ Any patent application processing fees under 37 CFR 1.17.
(For Extensions of Time and other Petitions to the Assistant Commissioner)

Stephen H. Shaw/set
Telephone: 585-477-7419
Facsimile: 585-477-4646


Attorney for Applicants
Registration No. 45,404

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.



86575SHS
Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of
Inventor(s): Shoupu Chen et al.

Group Art Unit: 2635

Examiner: Jayesh A. Patel

TITLE: METHOD AND
SYSTEM FOR MULTIPLE
PASSES DIAGNOSTIC
ALIGNMENT FOR IN VIVO
IMAGES

I hereby certify that this correspondence is being
deposited today with the United States Postal Services
as First Class Mail in an envelope addressed to:
Commissioner for Patents, Washington, D.C. 22313-1450

Susan E. Tufts

Susan E. Tufts

Jan. 25, 2007

Date

Serial No.: 10/679,712

Filed: 06 October 2003

Mail Stop Amendments
Commissioner for Patents
P.O. Box 1450
Washington, D.C. 22313-1450

AMENDMENT

Sir:

In response to the Office Action mailed November 7, 2006 and the
telephonic interview held on January 05, 2007 kindly amend the above-identified
application, without prejudice, as set forth below:

Amendments to the Claims are reflected in the listing of claims,
which begins on page 2 of this paper.

Remarks/Arguments begin on page 5 of this paper.